

## PARTO DE NALGAS - ALPACC

Laia Casadevall -Matrona

### REFERENCIAS:

- Abdessalami, S., Rota, H., Preira, G.D., Roest, J., Rosman, A.N. (2017) *The influence of counseling on the mode of breech birth: A single-center observational prospective study in The Netherlands*. Published Midwifery 2017 Sep 21;55:96-102. doi: 10.1016/j.midw.2017.09.012.
- Berhan, Y., Haileamlak, A. (2015) *The risks of planned vaginal breech delivery versus planned caesarean section for term breech birth: a meta-analysis including observational studies*. [BJOG](#). 2016 Jan;123(1):49-57. doi: 10.1111/1471-0528.13524. Epub 2015 Jul 29.
- Bin, Y.S., Ford, J.B., Nicholl, M.C., Roberts. C.L. (2017) *Long-term childhood outcomes of breech presentation by intended mode of delivery: a population record linkage study*. Acta Obstet Gynecol Scand. 2017 Mar;96(3):342-351. doi: 10.1111/aogs.13086. Epub 2017 Feb 9.
- Bjellmo S, Andersen GL, Martinussen MP, et al (2017) *Is vaginal breech delivery associated with higher risk for perinatal death and cerebral palsy compared with vaginal cephalic birth? Registry-based cohort study in Norway* BMJ Open 2017;7:e014979. doi: 10.1136/bmjopen-2016-014979
- Bluistein, J., Liu, J. (2015) *Time to consider the risks of cesarian delivery for long term child health*. BMJ 2015;350:h2410
- Coyle ME, Smith CA, Peat B (2012) *Cephalic version by moxibustion for breech presentation*. Published at Cochrane library.
- Dekker, R. (2012) *What is the evidence for using an external cephalic version to turn a breech baby?* Published at Evidence based birth.
- Dekker, R. (2013) *Evidence for using moxibustion to turn breech babies*. Published at Evidence based birth.
- Fiscbein, S.J., Freeze, R. (2018) *Breech birth at home: outcomes of 60 breech and 106 cephalic planned home and birth centre births*. Published at: BMC Pregnancy and Childbirth201818:397
- Fischer, R. (2015) *Breech presentation*. Published online at Medscape.
- Goffinet, F., Carayol, M., Foidart, JM., Alexander, S., Uzan, S., Subtil, D., Bréart, G. (2006) *Is planned vaginal delivery for breech presentation at term still an option? Results of an observational prospective survey in France and Belgium*. Publicat a [Am J Obstet Gynecol](#). 2006 Apr;194(4):1002-11.

- Hannah, ME., Hannah, WJ., Hewson, SA., Hodnett, ED., Saigal, S. Willan, AE. (2000) *Planned cesarean section versus planned vaginal birth for breech presentation at term: a randomised multicentre trial. Term breech trial collaborative group.* Publicat a Lancet 2000 Oct
- Hofmeyr G, Hannah M, Lawrie TA (2011) *Planned cesarian section for term breech delivery.* Published at Cochrane library.
- Hofmeyr G, Kulier R, West HM (2015) *External cephalic version for for breech presentation at term.* Published at Cochrane library.
- Hussin, O.A, Mahmoud, M.A, Abdel-Fattah, M.M (2013) External cephalic version for breech presentation at term: predictors of success, and impact on the rate of caesarean section. WHO Volume 19 issue 2.
- Jennewein,L., Kiellan-Kaisen, U., Paul, B., Mollmann CJ., Klemt, S., Schulze,S., Bock, N., Schaarschmidt,W., Bruggmann, D., Lowen, F. (2018) *Maternal and neonatal outcome after vaginal breech delivery at term of children weighin more or less than 3,8 kg: A FRABAT prospective cohort study.* Frankfurt, Germany. Published at PLOS one13(8): e0202760. <https://doi.org/10.1371/journal.pone.0202760>
- Kotaska, A., Menticoglou, S., Gagnon, R. (2009) *Vaginal delivery of breech presentation.* SOGC Clinical practice guideline 226.
- Lede R. *Versión cefálica externa para el tratamiento de la presentación podálica: Comentario de la BSR (última revisión: 13 de marzo de 2006).* La Biblioteca de Salud Reproductiva de la OMS; Ginebra: Organización Mundial de la Salud.
- Louwen, F., Davis, B.A., Johnson, K.C., Reiter, A., (2016) *Does breech delivery in an upright position instead of on the back improve outcomes and avoid cesareans?* Frankfurt, Germany. Published Wiley Gynecology and Obstetrics. DOI: 10.1002/ijgo.12033
- NICE guidelines (2008) *Antenatal care.* England
- Generalitat de Catalunya (2003) *Protocol d'assistència al part i al purperi i d'atenció al nadó.*
- Generalitat de Catalunya (2005) *Protocol de seguiment de l'embaràs de Catalunya.* 2<sup>A</sup> edició.
- Royal College of Obstetricians and Gynaecologists (2017) *Managment of breech presentation.* England BJOG Green Top Guideline n. 20b
- Royal College of Obstetricians and Gynaecologists (2006) *External cephalic version and reducing the incidence of breech presentation.* England Guideline n.20a
- The American Congress of Obstetricians and Gynaecologists (2001) *Mode of term singleton breech delivery.* EEUU Online Number 340.

- Sally C. Curtin M.A, Kimberly D. Gregori M.D, Lisa M. Korst M.D, Sayeedha F.G Uddin (2015) *Maternal Morbidity for vaginal and cesarean deliveries, according to previous cesarean history: New data from the birth certificate, 2013*. National vital statistics reports Volume 64 report number 4.
- Sociedad Española de Ginecología y Obstetricia (2001) *Parto de nalgas*. España.

VÍDEOS:

- <https://vimeo.com/305098551?fbclid=IwAR2ubdovUVjVxdkGomOOmwUTFN6ijgXhWne9B6c>
- [https://m.youtube.com/watch?feature=youtu.be&v=z6HTDRkq\\_yQ&noapp=1&has\\_verified=1](https://m.youtube.com/watch?feature=youtu.be&v=z6HTDRkq_yQ&noapp=1&has_verified=1)
- <https://breechbirth.org.uk/2013/05/14/mechanisms-of-upright-breech-birth/>

ALGORITMO DE BREECH BIRTH NETWORK UK:

